



## LABORATORY REPORT

If you have any questions concerning this report, please do not hesitate to call us at (800) 332-4345 or (574) 233-4777.

*This report may not be reproduced, except in full, without written approval from EEA.*

## STATE CERTIFICATION LIST

<b>State</b>	<b>Certification</b>	<b>State</b>	<b>Certification</b>
Alabama	40700	Missouri	880
Alaska	IN00035	Montana	CERT0026
Arizona	AZ0432	Nebraska	NE-OS-05-04
Arkansas	IN00035	Nevada	IN00035
California	2920	New Hampshire*	2124
Colorado	IN035	New Jersey*	IN598
Colorado Radiochemistry	IN035	New Mexico	IN00035
Connecticut	PH-0132	New York*	11398
Delaware	IN035	North Carolina	18700
Florida*	E87775	North Dakota	R-035
Georgia	929	Ohio	87775
Hawaii	IN035	Oklahoma	D9508
Idaho	IN00035	Oregon (Primary AB)*	4074-001
Illinois*	200001	Pennsylvania*	68-00466
Illinois Microbiology	17767	Puerto Rico	IN00035
Illinois Radiochemistry	IN00035	Rhode Island	LA000343
Indiana Chemistry	C-71-01	South Carolina	95005
Indiana Microbiology	M-76-07	South Dakota	IN00035
Iowa	098	Tennessee	TN02973
Kansas*	E-10233	Texas*	T104704187-15-8
Kentucky	90056	Texas/TCEQ	TX207
Louisiana*	LA170006	Utah*	IN00035
Maine	IN00035	Vermont	VT-8775
Maryland	209	Virginia*	460275
Massachusetts	M-IN035	Washington	C837
Michigan	9926	West Virginia	9927 C
Minnesota*	018-999-338	Wisconsin	999766900
Mississippi	IN035	Wyoming	IN035
EPA	IN00035		

\*NELAP/TNI Recognized Accreditation Bodies



110 South Hill Street  
 South Bend, IN 46617  
 Tel: (574) 233-4777  
 Fax: (574) 233-8207  
 1 800 332 4345

## Laboratory Report

Client:	Brown & Caldwell	Report:	401005
Attn:	Scot Middlebrook 2828 Kraft Avenue SE Suite 156 Grand Rapids, MI 49512	Priority:	Standard Written
		Status:	Final
		PWS ID:	Not Supplied

### Sample Information

EEA ID #	Client ID	Method	Collected Date / Time	Collected By:	Received Date / Time
3804167	3833 Dunlop Lk	537	10/19/17 13:20	Client	10/20/17 08:30

### Report Summary

Detailed quantitative results are presented on the following pages. The results presented relate only to the samples provided for analysis.

We appreciate the opportunity to provide you with this analysis. If you have any questions concerning this report, please do not hesitate to call James Van Fleit at (574) 233-4777.

*Note: This report may not be reproduced, except in full, without written approval from EEA.*

11/06/2017

Authorized Signature

Title

Date

Client Name: Brown & Caldwell  
 Report #: 401005

Client Name: Brown &amp; Caldwell

Report #: 401005

Sampling Point: 3833 Dunlop Lk

PWS ID: Not Supplied

EEA Methods										
Analyte ID #	Analyte	Method	Reg Limit	MRL†	Result	Units	Preparation Date	Analyzed Date	EEA ID #	
375-73-5	Perfluorobutanesulfonic acid (PFBS)	537	---	2.0	< 2.0	ng/L	10/27/17 08:29	10/28/17 05:00	3804167	
375-85-9	Perfluoroheptanoic acid (PFHpA)	537	---	2.0	< 2.0	ng/L	10/27/17 08:29	10/28/17 05:00	3804167	
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	537	---	2.0	< 2.0	ng/L	10/27/17 08:29	10/28/17 05:00	3804167	
375-95-1	Perfluorononanoic acid (PFNA)	537	---	2.0	< 2.0	ng/L	10/27/17 08:29	10/28/17 05:00	3804167	
1763-23-1	Perfluorooctane sulfonate (PFOS)	537	---	2.0	< 2.0	ng/L	10/27/17 08:29	10/28/17 05:00	3804167	
335-67-1	Perfluorooctanoic acid (PFOA)	537	---	2.0	< 2.0	ng/L	10/27/17 08:29	10/28/17 05:00	3804167	

† EEA has demonstrated it can achieve these report limits in reagent water, but can not document them in all sample matrices.

Reg Limit Type:	MCL	SMCL	AL
Symbol:	*	^	!

Client Name: Brown &amp; Caldwell

Report #: 401005

## Lab Definitions

**Continuing Calibration Check Standard (CCC) / Continuing Calibration Verification (CCV) / Initial Calibration Verification Standard (ICV) / Initial Performance Check (IPC)** - is a standard containing one or more of the target analytes that is prepared from the same standards used to calibrate the instrument. This standard is used to verify the calibration curve at the beginning of each analytical sequence, and may also be analyzed throughout and at the end of the sequence. The concentration of continuing standards may be varied, when prescribed by the reference method, so that the range of the calibration curve is verified on a regular basis. CCL, CCM, and CCH are the CCC standards at low, mid, and high concentration levels, respectively.

**Internal Standards (IS)** - are pure compounds with properties similar to the analytes of interest, which are added to field samples or extracts, calibration standards, and quality control standards at a known concentration. They are used to measure the relative responses of the analytes of interest and surrogates in the sample, calibration standard or quality control standard.

**Laboratory Duplicate (LD)** - is a field sample aliquot taken from the same sample container in the laboratory and analyzed separately using identical procedures. Analysis of laboratory duplicates provides a measure of the precision of the laboratory procedures.

**Laboratory Fortified Blank (LFB) / Laboratory Control Sample (LCS)** - is an aliquot of reagent water to which known concentrations of the analytes of interest are added. The LFB is analyzed exactly the same as the field samples. LFBs are used to determine whether the method is in control. FBL, FBM, and FBH are the LFB samples at low, mid, and high concentration levels, respectively.

**Laboratory Method Blank (LMB) / Laboratory Reagent Blank (LRB)** - is a sample of reagent water included in the sample batch analyzed in the same way as the associated field samples. The LMB is used to determine if method analytes or other background contamination have been introduced during the preparation or analytical procedure. The LMB is analyzed exactly the same as the field samples.

**Laboratory Trip Blank (LTB) / Field Reagent Blank (FRB)** - is a sample of laboratory reagent water placed in a sample container in the laboratory and treated as a field sample, including storage, preservation, and all analytical procedures. The FRB/LTB container follows the collection bottles to and from the collection site, but the FRB/LTB is not opened at any time during the trip. The FRB/LTB is primarily a travel blank used to verify that the samples were not contaminated during shipment.


**Matrix Spike Duplicate Sample (MSD) / Laboratory Fortified Sample Matrix Duplicate (LFSMD)** - is a sample aliquot taken from the same field sample source as the Matrix Spike Sample to which known quantities of the analytes of interest are added in the laboratory. The MSD is analyzed exactly the same as the field samples. Analysis of the MSD provides a measure of the precision of the laboratory procedures in a specific matrix. SDL, SDM, and SDH / LFSMDL, LFSMDM, and LFSMDH are the MSD or LFSMD at low, mid, and high concentration levels, respectively.

**Matrix Spike Sample (MS) / Laboratory Fortified Sample Matrix (LFSM)** - is a sample aliquot taken from field sample source to which known quantities of the analytes of interest are added in the laboratory. The MS is analyzed exactly the same as the field samples. The purpose is to demonstrate recovery of the analytes from a sample matrix to determine if the specific matrix contributes bias to the analytical results. MSL, MSM, and MSH / LFSML, LFSMM, and LFSMH are the MS or LFSM at low, mid, and high concentration levels, respectively.

**Quality Control Standard (QCS) / Second Source Calibration Verification (SSCV)** - is a solution containing known concentrations of the analytes of interest prepared from a source different from the source of the calibration standards. The solution is obtained from a second manufacturer or lot if the lot can be demonstrated by the manufacturer as prepared independently from other lots. The QCS sample is analyzed using the same procedures as field samples. The QCS is used as a check on the calibration standards used in the method on a routine basis.

**Reporting Limit Check (RLC) / Initial Calibration Check Standard (ICCS)** - is a procedural standard that is analyzed each day to evaluate instrument performance at or below the minimum reporting limit (MRL).

**Surrogate Standard (SS) / Surrogate Analyte (SUR)** - is a pure compound with properties similar to the analytes of interest, which is highly unlikely to be found in any field sample, that is added to the field samples, calibration standards, blanks and quality control standards before sample preparation. The SS is used to evaluate the efficiency of the sample preparation process.



Eaton Analytical

www.enjoyinsns.com/section

Shaded area for EEA use only

**CHAIN OF CUSTODY RECORD**

110 S. Hill Street  
South Bend, IN 46617  
T: 1.800.332.4345  
F: 1.574.283.8207  
Order # 328699  
Batch # 401005

Page

20

REPORT TO:	Brown and Caldwell - Grand Rapids		SAMPLER (Signature)	PWS ID#	STATE (sample origin)	PROJECT NAME	PO#							
BILL TO:	Jennifer Veneczel Brown and Caldwell - Grand Rapids		COMPLIANCE MONITORING	Yes	No	SOURCE WATER	MATRIX CODE							
LAB Number	COLLECTION	SAMPLING SITE	TEST NAME	SAMPLE REMARKS	CHLORINATED	# OF CONTAINERS	TURNAROUND TIME							
1 3804167	DATE 10/18/17 TIME 1320 AM PM	3833 Dunlop Lk	UCMR-PFCs Oct	10-20 min	YES NO	3 W.								
2														
3														
4														
5		*Samples were collected on 10/19/2017 per Jennifer.	KB10202017											
6														
7														
8														
9														
10														
11														
12														
13														
14														
RELINQUISHED BY:(Signature)	DATE 10/18/17 TIME 1535 AM PM	RECEIVED BY:(Signature) Fed Ex	DATE 10/18/17 TIME 1535 AM PM	RELINQUISHED BY:(Signature)	DATE 10/18/17 TIME 1535 AM PM	RECEIVED BY:(Signature)	DATE 10/18/17 TIME 1535 AM PM	RELINQUISHED BY:(Signature)	DATE 10/18/17 TIME 0830 AM PM	RECEIVED FOR LABORATORY BY: KPN	DATE 10/18/17 TIME 0830 AM PM	CONDITIONS UPON RECEIPT (check one): <input checked="" type="checkbox"/> Wet/Blue <input type="checkbox"/> Ambient <input type="checkbox"/> 2 °C Upon Receipt <input type="checkbox"/> N/A		
RELINQUISHED BY:(Signature)												LAB RESERVES THE RIGHT TO RETURN UNUSED PORTIONS OF NONAQUEOUS SAMPLES TO CLIENT		
RELINQUISHED BY:(Signature)												LAB COMMENTS		
RELINQUISHED BY:(Signature)														
RELINQUISHED BY:(Signature)														
MATRIX CODES:												TURNAROUND TIME (TAT) - SURCHARGES		
DW=DRINKING WATER SW = Standard Written: (15 working days) 0% IV* = Immediate Verbal: (3 working days) 100%														
RW=REAGENT WATER RW* = Rush Verbal: (5 working days) 50% IW* = Immediate Written: (3 working days) 125%														
GW=GROUNDRATE EW=EXPOSURE WATER SP* = Weekend/Holiday 75% RW = Rush Written: (5 working days) PW=SURFACE WATER CALL														
PW=POOL WATER ST* = Less than 48 hours CALL														
WW=WASTE WATER * Please call, expedited service not available for all testing														
												Samples received unannounced with less than 48 hours holding time remaining may be subject to additional charges.		
												Effective Date: 2016-09-20 06-LO-F0435 Issue 6.0		

to in writing by

三

**Eurofins Eaton Analytical**  
**Run Log**

Run ID: 235994    Method: 537

Type	Sample Id	Sample Site	Matrix	Instrument ID	Calibration File
CCL	3808946	OS	FL	10/28/2017 00:15	102717M537b-FL-PFC-Ext.mdb
LRB	3808928	RW	FL	10/28/2017 00:48	102717M537b-FL-PFC-Ext.mdb
FBH	3808932	RW	FL	10/28/2017 01:22	102717M537b-FL-PFC-Ext.mdb
FS	3804167	DW	FL	10/28/2017 05:00	102717M537b-FL-PFC-Ext.mdb
FS	3804168	DW	FL	10/28/2017 05:17	102717M537b-FL-PFC-Ext.mdb
CCM	3808947	OS	FL	10/28/2017 05:50	102717M537b-FL-PFC-Ext.mdb

## QC Summary Report

Sample Type	Analyte	Method	MRL	Client ID	Result Flag	Amount	Target	Units	% Recovery	Recovery Limits	RPD	RPD Limit Factor	Extracted	Analyzed	EEA ID #
CCL	(S)-NMeFOSAA-d3	537	N/A	---		932879.00	932879	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	(S)-PFOA-13C2	537	N/A	---		1931270.00	1931270	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	(S)-PFOS-13C4	537	N/A	---		314367.00	314397	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	(S)-GenX-13C3	537	N/A	---		9308.03	9309.03	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	SS-NEFOSAA-d5	537	N/A	---		194.2050	200	ng/L	97	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	SS-PFDA-13C2	537	N/A	---		98.9186	100	ng/L	99	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	SS-PFHKA-13C2	537	N/A	---		50.0104	50.0	ng/L	100	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	Perfluorobutanesulfonic acid (PFBS)	537	2.0	---		1.8889	2.0	ng/L	93	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	Perfluorooctanoic acid (PFOA)	537	2.0	---		1.8917	2.0	ng/L	95	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	Perfluorohexanesulfonic acid (PFHxS)	537	2.0	---		1.8644	2.0	ng/L	93	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	Perfluorononanoic acid (PFNA)	537	2.0	---		1.9134	2.0	ng/L	96	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	Perfluorooctane sulfonate (PFOS)	537	2.0	---		1.9591	2.0	ng/L	98	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
CCL	Perfluorooctanoic acid (PFOA)	537	2.0	---		1.9486	2.0	ng/L	97	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 00:15	3808946
LRB	(S)-NMeFOSAA-d3	537	N/A	---		941460.00	932879	ng/L	101	50 - 150	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	(S)-PFOA-13C2	537	N/A	---		1961610.00	1931270	ng/L	102	50 - 150	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	(S)-PFOS-13C4	537	N/A	---		324568.00	314397	ng/L	103	50 - 150	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	(S)-GenX-13C3	537	N/A	---		8600.52	9309.03	ng/L	92	50 - 150	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	SS-NEFOSAA-d5	537	N/A	---		179.6850	200	ng/L	91	70 - 130	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	SS-PFDA-13C2	537	N/A	---		93.1815	100	ng/L	94	70 - 130	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	SS-PFHKA-13C2	537	N/A	---		46.2758	50.0	ng/L	93	70 - 130	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928
LRB	Perfluorobutanesulfonic acid (PFBS)	537	2.0	---	<	2.0	2.0	ng/L	---	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928	
LRB	Perfluorooctanoic acid (PFOA)	537	2.0	---	<	2.0	2.0	ng/L	---	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928	
LRB	Perfluorohexanesulfonic acid (PFHxS)	537	2.0	---	<	2.0	2.0	ng/L	---	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928	
LRB	Perfluorononanoic acid (PFNA)	537	2.0	---	<	2.0	2.0	ng/L	---	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928	
LRB	Perfluorooctane sulfonate (PFOS)	537	2.0	---	<	2.0	2.0	ng/L	---	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928	
LRB	Perfluorooctanoic acid (PFOA)	537	2.0	---	<	2.0	2.0	ng/L	---	---	0.99	10/27/2017 08:29	10/28/2017 00:48	3808928	
FBH	(S)-NMeFOSAA-d3	537	N/A	---		926705.00	932879	ng/L	99	50 - 150	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	(S)-PFOA-13C2	537	N/A	---		1912150.00	1931270	ng/L	99	50 - 150	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	(S)-PFOS-13C4	537	N/A	---		320055.00	314397	ng/L	102	50 - 150	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	(S)-GenX-13C3	537	N/A	---		8599.49	9309.03	ng/L	92	50 - 150	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	SS-NEFOSAA-d5	537	N/A	---		183.3600	200	ng/L	92	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	SS-PFDA-13C2	537	N/A	---		98.7675	100	ng/L	99	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	Perfluorobutanesulfonic acid (PFBS)	537	2.0	---		177.8140	200	ng/L	89	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	Perfluorooctanoic acid (PFOA)	537	2.0	---		178.7780	200	ng/L	89	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	Perfluorohexanesulfonic acid (PFHxS)	537	2.0	---		181.9320	200	ng/L	91	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	Perfluorononanoic acid (PFNA)	537	2.0	---		191.8430	200	ng/L	96	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	Perfluorooctane sulfonate (PFOS)	537	2.0	---		181.8840	200	ng/L	91	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	Perfluorooctanoic acid (PFOA)	537	2.0	---		181.3720	200	ng/L	91	70 - 130	---	1.0	10/27/2017 08:29	10/28/2017 01:22	3808932
FBH	(S)-NMeFOSAA-d3	537	N/A	3833 Dunlop Lk		892786.00	932879	ng/L	96	50 - 150	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167

EEA Run ID 2355994 / EEA Report # 401005

## QC Summary Report (cont.)

Sample Type	Analyte	Method	MRL	Client ID	Result Flag	Amount	Target	Units	% Recovery	Recovery Limits	RPD	RPD Limit	Dil Factor	Extracted	Analyzed	EEA ID #
FS	IS-PFOA-13C2	537	N/A	3833 Dunlop LK		1873290.00	1931270	ng/L	97	50 - 150	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	IS-PFOS-13C4	537	N/A	3833 Dunlop LK		3005700.00	314397	ng/L	96	50 - 150	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	IS-GenX-13C3	537	N/A	3833 Dunlop LK		8658.98	9309.03	ng/L	93	50 - 150	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	SS-NEtFOSAA-d5	537	N/A	3833 Dunlop LK		168.0190	200	ng/L	94	70 - 130	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	SS-PFDA-13C2	537	N/A	3833 Dunlop LK		85.4511	100	ng/L	96	70 - 130	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	SS-PFHKa-13C2	537	N/A	3833 Dunlop LK		44.6146	50.0	ng/L	100	70 - 130	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	Perfluorobutanesulfonic acid (PFBS)	537	2.0	3833 Dunlop LK	<	2.0		ng/L	---	---	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	Perfluorooctanoic acid (PFOa)	537	2.0	3833 Dunlop LK	<	2.0		ng/L	---	---	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	Perfluoroheptanesulfonic acid (PFHxS)	537	2.0	3833 Dunlop LK	<	2.0		ng/L	---	---	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	Perfluorononanoic acid (PFNA)	537	2.0	3833 Dunlop LK	<	2.0		ng/L	---	---	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	Perfluooctane sulfonate (PFOS)	537	2.0	3833 Dunlop LK	<	2.0		ng/L	---	---	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
FS	Perfluorooctanoic acid (PFOA)	537	2.0	3833 Dunlop LK	<	2.0		ng/L	---	---	---	0.89	10/27/2017 08:29	10/28/2017 05:00	3804167	
CCM	(SN)MeFOSAA-d3	537	N/A			871832.00	871822	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	IS-PFOA-13C2	537	N/A			1800680.00	1800680	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	IS-PFOS-13C4	537	N/A			291625.00	291625	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	IS-GenX-13C3	537	N/A			8259.35	8259.35	ng/L	100	50 - 150	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	SS-NEtFOSAA-d5	537	N/A			200.9000	200	ng/L	100	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	SS-PFDA-13C2	537	N/A			98.4030	100	ng/L	98	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	SS-PFHKa-13C2	537	N/A			49.4581	50.0	ng/L	99	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	Perfluorobutanesulfonic acid (PFBS)	537	2.0			99.183	100	ng/L	99	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	Perfluorooctanoic acid (PFOa)	537	2.0			96.6781	100	ng/L	97	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	Perfluoroheptanesulfonic acid (PFHxS)	537	2.0			97.5413	100	ng/L	98	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	Perfluorononanoic acid (PFNA)	537	2.0			97.5143	100	ng/L	98	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	Perfluooctane sulfonate (PFOS)	537	2.0			98.4964	100	ng/L	98	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	
CCM	Perfluorooctanoic acid (PFOA)	537	2.0			97.9482	100	ng/L	98	70 - 130	---	1.0	10/20/2017 14:13	10/28/2017 05:50	3808947	

<b>Sample Type Key</b>		
<b>Type (Abbr.)</b>	<b>Sample Type</b>	<b>Type (Abbr.)</b>
CCL	Continuing Calibration Low	
CCM	Continuing Calibration Mid	
FS	Field Sample	
FBH	Fortified Blank High	
LRB	Laboratory Reagent Blank	

END OF REPORT